

CONSTRUCTION DETAIL DRAWINGS

<u>DESCRIPTION</u>	<u>PAGE</u>
TRENCH DETAIL FOR SEWER PIPE (NOT IN TRAVELED AREA)	200 - 10
TRENCH DETAIL FOR SEWER PIPE (FOR ANY TRAVELED AREA)	200 - 20
TRENCH DETAIL FOR SEWER PIPE (TRAVELED AREA INSIDE CITY)	200 - 25
WATER LINE LAYING DETAIL FOR PVC & DI PIPE (TRAVELED AREA)	200 - 30
WATER LINE LAYING DETAIL FOR PVC & DI PIPE (TRAVELED AREA INSIDE CITY)	200 - 35
WATER LINE LAYING DETAIL FOR PVC & DI PIPE (OPEN AREA)	200 - 40
EXCAVATION PAYMENT LIMITS FOR STRUCTURES	200 - 50
WATER LINE DEPTH REQUIREMENTS	200 - 60
TYPICAL BLOW-OFF FOR END OF 12",8",6",2" WATER LINE USING 200 - 65 A 2" M.J. POST HYDRANT - TOP VIEW	200 - 65
TYPICAL BLOW-OFF FOR END OF WATER LINE USING 2" M.J. POST HYDRANT - SIDE VIEW	200 - 70
MAINGUARD NO. 77 BLOW OFF HYDRANT	200 - 80
TYPICAL ABOVE GROUND BLOW-OFF	200 - 85
MANUAL BLOW-OFF STATION	200 - 86
THRUST BLOCK (FOR 90° BEND & TYPICAL PLUG)	200 - 90
THRUST BLOCK (FOR 45° BEND)	200 - 100
THRUST BLOCK (FOR TYPICAL TEE & UNBALANCED TEE)	200 - 110
CONCRETE ANCHOR BLOCK DETAIL FOR WATERLINE INSTALLATION	200 - 115
TYPICAL PIER FOR DITCH CROSSING	200 - 120
CONCRETE ANCHOR BLOCK DETAIL FOR PIPES ON STEEP SLOPES	200 - 130

TYPICAL CREEK CROSSING (WATER LINE)	200 - 140
TYPICAL UNDER PIPE CULVERT (WATER LINE)	200 - 150
TYPICAL SECTION FOR CONCRETE PROTECTION PIPE 4'-0"(T.A.) & 2'-6"(O.A.) DEEP OR LESS	200 - 160
TYPICAL SERVICE INSTALLATION FOR 1" METERS & SMALLER	200 - 170
METER DETAIL (CONNECTING SERVICES TO NEW WATER MAIN)	200 - 180
TYPICAL SERVICE LINE TAPS (WATER)	200 - 190
MEASUREMENT EXAMPLES FOR LOCATING SEWER SERVICE LINES	200 - 200
TYPICAL SEWER SERVICE CONNECTION (PLAN VIEW)	200 - 210
TYPICAL SEWER SERVICE CONNECTION (ELEVATION VIEW)	200 - 220.1
TYPICAL RISER FOR SERVICE CONNECTION (SEWER)	200 - 230.1
ENCASEMENT DETAIL AT LINE CROSSING (SEWER LINE)	200 - 240
TYPICAL CREEK CROSSING (SEWER LINE)	200 - 250
TYPICAL DITCH CROSSING (SEWER LINE)	200 - 260
TYPICAL PRECAST 4'-0" DIAMETER MANHOLE (SECTION A)	200 - 270.1
TYPICAL PRECAST 4'-0" DIAMETER MANHOLE (SECTION B)	200 - 280.1
TYPICAL PRECAST 4'-0" DIAMETER MANHOLE (SECTIONAL PLAN)	200 - 290
STANDARD ECCENTRIC CONE FOR ALL DIAMETER MANHOLES	200 - 300.1
TYPICAL PRECAST MANHOLE FOR DEPTH OF LESS THAN 5'-0"	200 - 310.1
TYPICAL DETAILS FOR PVC PIPE AT BOOTED, TUB-BOTTOM MANHOLE	200 - 320.1
DETAIL OF PLASTIC GASKET FOR PRECAST MANHOLE SECTION	200 - 330.1
DETAIL OF STANDARD LADDER BARS	200 - 340.1
SPECIAL MANHOLE STUB DETAIL	200 - 350.2
MANHOLE VENT DETAIL	200 - 355
TYPICAL VERTICAL DROP INLET AT MANHOLE	200 - 360.2

TYPICAL MANHOLE FRAME AND COVER	200 - 370.1
WATERPROOF M.H. FRAME & COVER W/INNER LID	200 - 380
WATERPROOF M.H. FRAME & COVER W/BOLT DOWN LID	200 - 390.1
TYPICAL CHECK DAM FOR SEWER LINE	200 - 395
TYPICAL AIR RELEASE VALVE (WATER) - TOP VIEW	200 - 400
TYPICAL AIR RELEASE OR AIR RELEASE/VACUUM VALVE ASSEMBLY	200 - 400.1
TYPICAL AIR RELEASE VALVE (WATER) - SIDE VIEW	200 - 410
TYPICAL AIR RELEASE VALVE (SEWER)	200 - 420.1
TYPICAL VALVE BOX & GATE VALVES 12" & SMALLER	200 - 430.1
TYPICAL VALVE KEY EXTENSION	200 - 435
FIRE HYDRANT (ELEVATION VIEW)	200 - 440
FIRE HYDRANT (PLAN)	200 - 450.1
TYPICAL PAVING REPLACEMENT	200 - 460.1
TYPICAL ROADWAY CROSSING - PUNCHING METHOD	200 - 470.1
TYPICAL RAILROAD CROSSING - BORED METHOD	200 - 480.1
TYPICAL HIGHWAY CROSSING - BORED METHOD	200 - 490.1
TYPICAL RAILROAD TUNNEL CROSSING	200 - 500.1
TYPICAL HIGHWAY TUNNEL CROSSING	200 - 510.1
TYPICAL HIGHWAY & RAILROAD TUNNEL CROSSING (SECTION "A-A")	200 - 520.1
CARRIER AND CASING PIPE SIZE REQUIREMENTS	200 - 530.1
LINER PLATE GAGES FOR NOMINAL PIPE DIAMETERS	200 - 540.1